

EC type examination certificate
EG-Baumusterprüfbescheinigung

CE-0085BU0450
 Product Identification No.
 Produkt-Identnummer

Field of Application <i>Anwendungsbereich</i>	EC Gas Appliances Directive (2009/142/EC) <i>EG-Gasgeräterichtlinie (2009/142/EG)</i>
Distributor <i>Vertreiber</i>	Bosch Thermotechnik GmbH Sophienstraße 30-32, D-35576 Wetzlar
Product Category <i>Produktart</i>	Boilers with flue systems: Condensing combi water heater (3204)
Product Description <i>Produktbezeichnung</i>	Gas wall hung condensing combi water heater optional with integrated drinking water storage
Model <i>Modell</i>	Buderus Logamax Plus GB172i...; Buderus Logamax Plus GB182i...
Countries of Destination <i>Bestimmungsländer</i>	AT, BE, BY, DE, EE, GR, IT, KZ, LT, LU, LV, MD, RO, RU, TR, UA
Test Reports <i>Prüfberichte</i>	supplement test: B16/12/2263EU from 21.12.2016 (DBI)
Test Basis <i>Prüfgrundlagen</i>	2009/142/EG (30.11.2009) DIN EN 15502-1 (01.10.2015) DIN EN 15502-2-1 (01.01.2013) DIN EN 13203-1 (01.12.2015)
File Number <i>Aktenzeichen</i>	17-0001-GER

70028-04-A-DE



14.01.2017 Rie J-1/2



Date, Issued by, Sheet, Head of Certification Body
 Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of gas appliances under EC Directive

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Gasgeräten gemäß EG-Richtlinie 2009/142/EG.



DVGW CERT GmbH
 Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
 53123 Bonn

Tel. +49 228 91 88 - 888
 Fax +49 228 91 88 - 993

www.dvgw-cert.com
 info@dvgw-cert.com

Appliance Categories <i>Geräte kategorien</i>	Supply Pressures <i>Versorgungsdrücke</i>	Countries of Destination <i>Bestimmungsländer</i>	Remarks <i>Bemerkungen</i>
I2E(S)	20/25 mbar	BE	
I2E3B/P	20, 37 mbar	LU	
I2E3B/P	20, 50 mbar	LU	
I2ELL3B/P	20, 50 mbar	DE	
I2H3B/P	20, 30 mbar	EE, GR, LT, LU, LV, RO, TR	
I2H3B/P	20, 37 mbar	LU, TR	
I2H3B/P	20, 50 mbar	AT, LU	
I2HM3B/P	20, 30 mbar	IT	
I2HM3B/P	20, 37 mbar	IT	

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
GB172i-14 H/L; GB182i-14 H/L GB182i-20 H/L	nominal heat output: 2,0...14,0 kW heat input (Hi): 2,1...14,4 kW nominal heat output: 3,0...20,0 kW heat input (Hi): 3,1...20,5 kW	only for IT, AT, DE, LU, BE, LV, LT, EE, RU, BY, KZ, UA heat input (Hi)/drinking water: 3,1...24,6 kW; only for AT, DE, LU
GB-172i-24 H/L; GB182i-24 H/L	nominal heat output: 3,0...24,0 kW heat input (Hi): 3,1...24,6 kW	heat input (Hi)/drinking water: 3,1...24,6 kW; only for DE, LU, AT, BE, RO, UA, RU, BY, KZ, LV, LT, EE, GR, IT
GB172i-24 K H/L	nominal heat output: 3,0...24,0 kW heat input (Hi): 3,1...24,6 kW	only for IT
GB172i-20 KD H/L; GB182i-20 KD H/L	nominal heat output: 3,7...20,0 kW heat input (Hi): 3,8...20,5 kW	heat input (Hi)/drinking water: 3,8...28,7 kW; only for DE, LU, AT, BE, UA, RU, BY, KZ, LV, LT, EE
GB172i-24 KD H/L	nominal heat output: 3,7...24,0 kW heat input (Hi): 3,8...24,6 kW	heat input (Hi)/drinking water: 3,8...28,7 kW; only for RO, TR, IT, GR
GB172i-14 KD H/L	nominal heat output: 3,0...24,0 kW heat input (Hi): 3,1...14,0 kW	heat input (Hi)/drinking water: 3,1...24,6 kW; only for BE, UA, LV, LT, EE

Type Variation <i>Ausführungsvariante</i>	Explanations <i>Erläuterungen</i>
GB172i-...K...; GB182i-...K...	Condensing combi water heater with 3-way valve and integrated heat exchanger for room and drinking water heating
GB172i-...; GB182i-...	Condensing water heater with connections for an external drinking water storage

Hints of Utilization /Remarks

Verwendungshinweise / Bemerkungen

Additionally tested appliance categories, supply pressures and countries of destination:

MD: I2H3B/P (20, 30 mbar)

BY, KZ, RU, UA: I2H3B/P (13, 30 mbar)

In Belarus, Kazakstan, Moldova, in the Russian Federation and in the Ukraine the CE-marking will be accepted as conformity approval if the Gas Appliance Directive (2009/142/EC) is transferred into national law by Belarus, Kazakstan, Moldova, the Russian Federation and the Ukraine.

flue types B23, B33, C13, C13x, C33, C33x, C43, C43x, C53, C53x, C63, C63x, C83, C83x, C93 und C93x: according to installation manual. 6 720 863 525.



C € 0085



CERT

EC type examination certificate
EG-Baumusterprüfbescheinigung

CE-0085BU0450

Product Identification No.
Produkt-Identnummer

Field of Application <i>Anwendungsbereich</i>	EC Efficiency Directive (92/42/EEC) <i>EG-Wirkungsgradrichtlinie (92/42/EWG)</i>
Distributor <i>Vertreiber</i>	Bosch Thermotechnik GmbH Sophienstraße 30-32, D-35576 Wetzlar
Product Category <i>Produktart</i>	Boilers with flue systems: Condensing combi water heater (3204)
Product Description <i>Produktbezeichnung</i>	Gas wall hung condensing combi water heater optional with integrated drinking water storage
Model <i>Modell</i>	Buderus Logamax Plus GB172i...; Buderus Logamax Plus GB182i...
Type of Boiler <i>Heizkesseltyp</i>	condensing boiler
Test Reports <i>Prüfberichte</i>	supplement test: B16/12/2263EU from 21.12.2016 (DBI)
Test Basis <i>Prüfgrundlagen</i>	EU/92/42 (21.05.1992)
File Number <i>Aktenzeichen</i>	17-0001-GWR

70028-04-A-DE



14.01.2017 Rie J-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of heating boilers under EC Directive 92/42/EC.

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Heizkesseln nach der Richtlinie 92/42/EWG.



Deutsche
Akkreditierungsstelle
D-ZE-16028-01-04

DVGW CERT GmbH
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
53123 Bonn

Tel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993

www.dvgw-cert.com
info@dvgw-cert.com

Type Typ	Technical Data Technische Daten	Energy Labelling Energieeffizienzkennzeichnung
GB172i-14 H/L; GB182i-14 H/L	nominal heat output: 2,0...14,0 kW heat input (Hi): 2,1...14,4 kW	
GB182i-20 H/L	nominal heat output: 3,0...20,0 kW heat input (Hi): 3,1...20,5 kW	
GB-172i-24 H/L; GB182i-24 H/L	nominal heat output: 3,0...24,0 kW heat input (Hi): 3,1...24,6 kW	
GB172i-24 K H/L	nominal heat output: 3,0...24,0 kW heat input (Hi): 3,1...24,6 kW	
GB172i-20 KD H/L; GB182i-20 KD H/L	nominal heat output: 3,7...20,0 kW heat input (Hi): 3,8...20,5 kW	
GB172i-24 KD H/L	nominal heat output: 3,7...24,0 kW heat input (Hi): 3,8...24,6 kW	
GB172i-14 KD H/L	nominal heat output: 3,0...24,0 kW heat input (Hi): 3,1...14,0 kW	

Hints of Utilization / Remarks

Verwendungshinweise / Bemerkungen

The above listed model was certified under the Product-Identnumber CE-0085BU0450 according to the Gas Appliance Directive (2009/142/EC).